

Experiment Number: 88031-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]
Test Compound: Dipropylene glycol
CAS Number: 25265-71-8
Date Report Requested: 10/23/2014
Time Report Requested: 12:35:16
First Dose M/F: NA / NA
Lab: AD LITTLE

C Number: C88031
Lock Date: 06/10/1992
Cage Range: All
Date Range: All
Reasons For Removal: All
Removal Date Range: All
Treatment Groups: All
Study Gender: Both
PWG Approval Date NONE

Experiment Number: 88031-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Test Compound: Dipropylene glycol
CAS Number: 25265-71-8

Date Report Requested: 10/23/2014
Time Report Requested: 12:35:16
First Dose M/F: NA / NA
Lab: AD LITTLE

| B6C3F1 Mouse MALE | VEHICLE CONTROL | 0.5% | 1.0% | 2.0% | 4.0% | 8.0% |
|---|-----------------|-----------|-----------|-----------|-----------|-----------|
| Disposition Summary | | | | | | |
| Animals Initially In Study | 10 | 10 | 10 | 10 | 10 | 10 |
| Early Deaths | | | | | | 3 |
| Natural Death | | | | | | 3 |
| Survivors | | | | | | |
| Terminal Sacrifice | 10 | 10 | 10 | 10 | 10 | 7 |
| Animals Examined Microscopically | 10 | | | 1 | 10 | 10 |
| ALIMENTARY SYSTEM | | | | | | |
| Esophagus | (10) | (0) | (0) | (0) | (0) | (9) |
| Gallbladder | (10) | (0) | (0) | (0) | (0) | (6) |
| Intestine Large, Cecum | (10) | (0) | (0) | (0) | (0) | (7) |
| Intestine Large, Colon | (10) | (0) | (0) | (0) | (0) | (9) |
| Intestine Large, Rectum | (10) | (0) | (0) | (0) | (0) | (7) |
| Intestine Small, Duodenum | (10) | (0) | (0) | (0) | (0) | (8) |
| Intestine Small, Ileum | (10) | (0) | (0) | (0) | (0) | (7) |
| Intestine Small, Jejunum | (10) | (0) | (0) | (0) | (0) | (7) |
| Liver | (10) | (0) | (0) | (1) | (10) | (10) |
| Centrilobular, Hypertrophy | | | | 1 [1.0] | 9 [1.0] | 7 [1.6] |
| Hepatocyte, Necrosis | | | | | | 1 [2.0] |
| Inflammation, Chronic Active | 2 [1.0] | | | | | |
| Pancreas | (10) | (0) | (0) | (0) | (0) | (10) |
| Necrosis | 1 [2.0] | | | | | |
| Salivary Glands | (10) | (0) | (0) | (0) | (0) | (10) |
| Stomach, Forestomach | (10) | (0) | (0) | (0) | (0) | (10) |
| Stomach, Glandular | (10) | (0) | (0) | (0) | (0) | (8) |
| Inflammation, Chronic Active | 1 [1.0] | | | | | 1 [1.0] |
| CARDIOVASCULAR SYSTEM | | | | | | |
| Blood Vessel | (10) | (0) | (0) | (0) | (0) | (10) |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Experiment Number: 88031-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Test Compound: Dipropylene glycol
CAS Number: 25265-71-8

Date Report Requested: 10/23/2014
Time Report Requested: 12:35:16
First Dose M/F: NA / NA
Lab: AD LITTLE

| B6C3F1 Mouse MALE | VEHICLE CONTROL | 0.5% | 1.0% | 2.0% | 4.0% | 8.0% |
|------------------------------|-----------------|------|------|------|------|---------|
| Heart | (10) | (0) | (0) | (0) | (0) | (10) |
| ENDOCRINE SYSTEM | | | | | | |
| Adrenal Cortex | (10) | (0) | (0) | (0) | (0) | (10) |
| Subcapsular, Hyperplasia | 1 [1.0] | | | | | |
| Adrenal Medulla | (10) | (0) | (0) | (0) | (0) | (10) |
| Islets, Pancreatic | (10) | (0) | (0) | (0) | (0) | (10) |
| Parathyroid Gland | (9) | (0) | (0) | (0) | (0) | (6) |
| Cyst | | | | | | 1 |
| Pituitary Gland | (10) | (0) | (0) | (0) | (0) | (7) |
| Thyroid Gland | (10) | (0) | (0) | (0) | (0) | (10) |
| Cyst | 1 | | | | | |
| GENERAL BODY SYSTEM | | | | | | |
| None | | | | | | |
| GENITAL SYSTEM | | | | | | |
| Epididymis | (10) | (0) | (0) | (0) | (0) | (10) |
| Penis | (0) | (0) | (0) | (0) | (0) | (1) |
| Inflammation, Chronic Active | | | | | | 1 [2.0] |
| Preputial Gland | (10) | (0) | (0) | (0) | (0) | (10) |
| Dilatation | 9 [1.8] | | | | | 9 [2.1] |
| Prostate | (10) | (0) | (0) | (0) | (0) | (10) |
| Seminal Vesicle | (10) | (0) | (0) | (0) | (0) | (10) |
| Testes | (10) | (0) | (0) | (0) | (0) | (10) |
| HEMATOPOIETIC SYSTEM | | | | | | |
| Bone Marrow | (10) | (0) | (0) | (0) | (10) | (10) |
| Atrophy | | | | | | 1 [1.0] |
| Congestion | | | | | | 3 [2.7] |
| Lymph Node, Mandibular | (10) | (0) | (0) | (0) | (0) | (9) |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Experiment Number: 88031-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Requested: 10/23/2014
Time Report Requested: 12:35:16
First Dose M/F: NA / NA
Lab: AD LITTLE

| B6C3F1 Mouse MALE | VEHICLE CONTROL | 0.5% | 1.0% | 2.0% | 4.0% | 8.0% |
|--------------------------------------|-----------------|------|------|------|------|---------|
| Lymph Node, Mesenteric | (10) | (0) | (0) | (0) | (0) | (7) |
| Spleen | (10) | (0) | (0) | (0) | (10) | (10) |
| Atrophy | | | | | | 3 [2.3] |
| Thymus | (10) | (0) | (0) | (0) | (0) | (8) |
| Atrophy | | | | | | 1 [4.0] |
| INTEGUMENTARY SYSTEM | | | | | | |
| Mammary Gland | (4) | (0) | (0) | (0) | (0) | (2) |
| Skin | (10) | (0) | (0) | (0) | (0) | (10) |
| Hair Follicle, Atrophy | | | | | | 1 [2.0] |
| MUSCULOSKELETAL SYSTEM | | | | | | |
| Bone | (10) | (0) | (0) | (0) | (0) | (10) |
| NERVOUS SYSTEM | | | | | | |
| Brain | (10) | (0) | (0) | (0) | (0) | (10) |
| RESPIRATORY SYSTEM | | | | | | |
| Lung | (10) | (0) | (0) | (0) | (0) | (10) |
| Infiltration Cellular, Lymphocyte | 1 [1.0] | | | | | |
| Nose | (10) | (0) | (0) | (0) | (0) | (10) |
| Trachea | (10) | (0) | (0) | (0) | (0) | (10) |
| SPECIAL SENSES SYSTEM | | | | | | |
| None | | | | | | |
| URINARY SYSTEM | | | | | | |
| Kidney | (10) | (0) | (0) | (0) | (0) | (10) |
| Pelvis, Inflammation, Chronic Active | | | | | | 1 [1.0] |
| Urinary Bladder | (10) | (0) | (0) | (0) | (0) | (10) |

END OF MALE DATA

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Experiment Number: 88031-04
 Test Type: 90-DAY
 Route: DOSED WATER
 Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Requested: 10/23/2014
 Time Report Requested: 12:35:16
 First Dose M/F: NA / NA
 Lab: AD LITTLE

| B6C3F1 Mouse FEMALE | VEHICLE CONTROL | 0.5% | 1.0% | 2.0% | 4.0% | 8.0% |
|----------------------------------|-----------------|------|------|------|------|---------|
| Disposition Summary | | | | | | |
| Animals Initially In Study | 10 | 10 | 10 | 10 | 10 | 10 |
| Early Deaths | | | | | | 1 |
| Moribund Sacrifice | | | | | | 1 |
| Natural Death | | | | | 1 | |
| Survivors | | | | | | |
| Terminal Sacrifice | 10 | 10 | 10 | 9 | 10 | 9 |
| Animals Examined Microscopically | 10 | | 1 | 1 | 10 | 10 |
| ALIMENTARY SYSTEM | | | | | | |
| Esophagus | (10) | (0) | (0) | (1) | (0) | (10) |
| Gallbladder | (9) | (0) | (0) | (1) | (0) | (10) |
| Intestine Large, Cecum | (10) | (0) | (0) | (0) | (0) | (10) |
| Intestine Large, Colon | (10) | (0) | (0) | (1) | (0) | (10) |
| Intestine Large, Rectum | (10) | (0) | (0) | (1) | (0) | (10) |
| Intestine Small, Duodenum | (10) | (0) | (0) | (0) | (0) | (10) |
| Intestine Small, Ileum | (10) | (0) | (0) | (1) | (0) | (10) |
| Intestine Small, Jejunum | (10) | (0) | (0) | (0) | (0) | (10) |
| Liver | (10) | (0) | (0) | (1) | (10) | (10) |
| Centrilobular, Hypertrophy | | | | | | 9 [1.1] |
| Hepatocyte, Necrosis | | | | | | 1 [1.0] |
| Inflammation, Chronic Active | 1 [1.0] | | | | | 1 [1.0] |
| Necrosis | | | | | | 1 [1.0] |
| Vacuolization Cytoplasmic | | | | | | 1 [1.0] |
| Pancreas | (10) | (0) | (0) | (1) | (0) | (10) |
| Inflammation, Chronic Active | 1 [1.0] | | | | | |
| Salivary Glands | (10) | (0) | (0) | (1) | (0) | (10) |
| Inflammation, Chronic | 2 [1.0] | | | | | 1 [1.0] |
| Stomach, Forestomach | (10) | (0) | (0) | (0) | (0) | (10) |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Experiment Number: 88031-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Requested: 10/23/2014
Time Report Requested: 12:35:16
First Dose M/F: NA / NA
Lab: AD LITTLE

| B6C3F1 Mouse FEMALE | VEHICLE CONTROL | 0.5% | 1.0% | 2.0% | 4.0% | 8.0% |
|---|-----------------|------|------|------|------|---------|
| Stomach, Glandular Inflammation, Chronic Active | (10) 1 [1.0] | (0) | (0) | (1) | (0) | (10) |
| CARDIOVASCULAR SYSTEM | | | | | | |
| Blood Vessel | (10) | (0) | (0) | (1) | (0) | (8) |
| Heart | (10) | (0) | (0) | (1) | (0) | (10) |
| ENDOCRINE SYSTEM | | | | | | |
| Adrenal Cortex | (10) | (0) | (0) | (1) | (0) | (10) |
| Subcapsular, Hyperplasia | 3 [1.0] | | | | | |
| Adrenal Medulla | (10) | (0) | (0) | (1) | (0) | (9) |
| Islets, Pancreatic | (10) | (0) | (0) | (1) | (0) | (10) |
| Parathyroid Gland | (8) | (0) | (0) | (0) | (0) | (8) |
| Pituitary Gland | (10) | (0) | (0) | (1) | (0) | (9) |
| Thyroid Gland | (10) | (0) | (0) | (1) | (0) | (10) |
| GENERAL BODY SYSTEM | | | | | | |
| None | | | | | | |
| GENITAL SYSTEM | | | | | | |
| Clitoral Gland | (9) | (0) | (0) | (1) | (0) | (10) |
| Dilatation | 5 [1.4] | | | | | 5 [1.4] |
| Ovary | (10) | (0) | (0) | (1) | (0) | (10) |
| Uterus | (10) | (0) | (1) | (1) | (0) | (10) |
| Hyperplasia, Cystic | 4 [1.0] | | | | | 1 [2.0] |
| HEMATOPOIETIC SYSTEM | | | | | | |
| Bone Marrow | (10) | (0) | (0) | (1) | (0) | (10) |
| Atrophy | | | | | | 1 [1.0] |
| Congestion | | | | | | 1 [3.0] |
| Lymph Node, Mandibular | (10) | (0) | (0) | (1) | (1) | (10) |
| Hyperplasia, Lymphoid | | | | | | 1 [2.0] |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Experiment Number: 88031-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Test Compound: Dipropylene glycol

CAS Number: 25265-71-8

Date Report Requested: 10/23/2014
Time Report Requested: 12:35:16
First Dose M/F: NA / NA
Lab: AD LITTLE

| B6C3F1 Mouse FEMALE | VEHICLE CONTROL | 0.5% | 1.0% | 2.0% | 4.0% | 8.0% |
|--|-----------------|------|------|------|------|---------|
| Lymph Node, Mesenteric | (9) | (0) | (0) | (1) | (0) | (9) |
| Spleen | (10) | (0) | (0) | (1) | (0) | (10) |
| Atrophy | | | | | | 1 [2.0] |
| Thymus | (10) | (0) | (0) | (1) | (0) | (9) |
| INTEGUMENTARY SYSTEM | | | | | | |
| Mammary Gland | (10) | (0) | (0) | (1) | (0) | (9) |
| Skin | (10) | (0) | (0) | (1) | (0) | (10) |
| Subcut Tiss, Inflammation, Chronic Active | 1 [2.0] | | | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | |
| Bone | (10) | (0) | (0) | (1) | (0) | (10) |
| NERVOUS SYSTEM | | | | | | |
| Brain | (10) | (0) | (0) | (1) | (0) | (10) |
| RESPIRATORY SYSTEM | | | | | | |
| Lung | (10) | (0) | (0) | (1) | (0) | (10) |
| Nose | (10) | (0) | (0) | (1) | (0) | (10) |
| Olfactory Epi, Degeneration, Hyaline | 2 [1.0] | | | | | |
| Respirat Epith, Degeneration, Hyaline | 3 [1.0] | | | | | |
| Respirat Epith, Inflammation, Chronic Active | 1 [1.0] | | | | | |
| Trachea | (9) | (0) | (0) | (1) | (0) | (10) |
| SPECIAL SENSES SYSTEM | | | | | | |
| None | | | | | | |
| URINARY SYSTEM | | | | | | |
| Kidney | (10) | (0) | (0) | (1) | (0) | (10) |
| Pelvis, Inflammation, Chronic Active | 1 [1.0] | | | | | 1 [1.0] |
| Urinary Bladder | (10) | (0) | (0) | (1) | (0) | (10) |
| Inflammation, Chronic | | | | | | 1 [1.0] |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Experiment Number: 88031-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Test Compound: Dipropylene glycol
CAS Number: 25265-71-8

Date Report Requested: 10/23/2014
Time Report Requested: 12:35:16
First Dose M/F: NA / NA
Lab: AD LITTLE

| B6C3F1 Mouse FEMALE | VEHICLE CONTROL | 0.5% | 1.0% | 2.0% | 4.0% | 8.0% |
|---------------------|-----------------|------|------|------|------|------|
|---------------------|-----------------|------|------|------|------|------|

** END OF REPORT **

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)